



Similarity Report

Similarity Found: 52%

Date: Tuesday, October 13, 2020

Statistics: 978 words Plagiarized / 1578 Total words

Remarks: High Plagiarism Detected - Your Document needs Critical Improvement.

Image data recovery using user's judgement choice technique Abstract-Target search in content-based image retrieval systems refer to finding a specific (target) image such as a particular registered logo or a specific historical photograph. Existing techniques, designed around query refinement based on relevance feedback, suffer from slow convergence, and do not guarantee to find intended targets. To address these limitations, here to propose a new index structure and query processing technique to improve retrieval effectiveness and efficiency and also considered strategies to minimize the effects of users' inaccurate RF.

Extensive experiments in simulated and realistic environments show that the approach significantly reduces the number of required iterations and improves overall retrieval performance. The experimental results also confirm that the approach can always retrieve intended targets even with poor selection of initial query points. Key Terms: Data mining, Content Based Image Retrieval, Relevance feedback, Index structures. INTRODUCTION Data mining which is defined as the process of extracting previously unknown knowledge, and detecting interesting patterns from a massive set of data, has been a very active research.

As results, several commercial products and research prototypes are even available nowadays. An example of image data mining is CONQUEST [1] system that combines satellite data with geophysical data with geophysical data to discover patterns in global climate change. The SKICAT system [2] integrates techniques of image processing and data classification in order to identify 'sky object' capture in a very large satellite picture set.

The MULTIMEDIMINER [3] work has constructed many image understanding, indexing and mining techniques in digital media. Content-based video analyzing and retrieval are important technologies, which have been an international research focus in recent ten years. As a challenging problem, content-based mining is also emphasized by lots of researchers. The mining of video data based on its content is still in its infancy. Many CBIR systems have been developed: QBIC[4], PhotoBook[5], MARS[6], PicHunter [7], [8], BlowWorld[9], and others [10],[11],[12]. In CBIR systems, low-level visual image features (e.g.,

color, texture and Shape) In a typical CBIR system, low-level visual image features (e.g., color, texture, and shape) are automatically extracted for image descriptions and indexing purposes. To search for desirable images, a user presents an image as an example of similarity, and the system returns a set of similar images based on the extracted features. In CBIR systems with relevance feedback (RF), a user can mark returned images as positive or negative, which are then fed back into the systems as a new, refined query for the next round of retrieval.

The process is repeated until the user is satisfied with the query result. RELATED WORK There are two general types of image search: target search and category search [13], [14]. The goal of target search is to find a specific (target) image, such as a registered logo, a historical photograph, or a particular painting. The goal of category search is to retrieve a given semantic class or genre of images, such as scenery images or skyscrapers. In other words, a user uses target search to find a known image.

In contrast, category search is used to find relevant images the user might not be aware of ahead of time. Their retrieval accuracy, however, depends on the effectiveness of the visual features used to characterize the database images. An effective CBIR system, therefore, needs to have both an efficient search mechanism and an accurate set of visual features. Existing target search techniques re-retrieve previously examined images (i.e.,

those retrieved in the previous iterations) when they again fall within the search range of the current iteration. This strategy leads to the following disadvantages: No guarantee that the target can be found. The search operation generally takes several iterations of RF to examine a number of regions in the feature space, before it reaches the target image. During this iterative process, the search advancement might get trapped in a region as illustrated in Fig. 1. Slow convergence.

Including previously examined images in the computation of the current centroid results in repeat retrieval of some of the images. This prevents a more aggressive movement of the search in the feature space. Video editing is the process of selecting and joining various shots to create a final video sequence. A shot is defined as one exclusive stream of video frames recorded by a single camera. In video editing, there can be numerous ways to make the transition from one shot to another so that the quality of the created video depends on the user's skill. So, discovering the useful editing patterns from a video called "Video data mining".

Advance in multimedia technology have yielded a video achieve, where a large amount and various kind of videos are stored. So, a user often spend a long time to find videos of his/her interest. In order of retrieve various kinds of events from a video achieve, we first conduct Video data mining to extract patterns from video. IMAGE MINING There are two major issues that will affect the image data mining process. One is the notion of similarity matching and the other is the generality of the application area. For a specific application area, associated domain knowledge can be used to improve the data mining task.

Since data mining relies on the underlying querying capability of the CBIR system, which is based on similarity matching, user interaction will be necessary to refine the data mining process. With image mining we will consider the four broad problem areas associated with data mining: Finding associations, Classification, Sequential pattern and Time series pattern. With all these, the essential component in image mining is identifying similar objects in different images A. Image Mining Algorithm Steps The algorithms needed to perform the mining of associations within the context of image.

The four major image mining steps are as follows: 1. Feature Extracting: Segment images into regions identifiable by region descriptors (blobs) ideally one blob represents one object. 2. Object identification and record creation: Compare objects in one image to objects in every other image. Label each object with an id. We call this step the preprocessing algorithm. 3. Create auxiliary images: Generate image with identified objects to interpret the association rules. 4. Apply data mining algorithm to produce object. B.

Content-Based Image Retrieval Content-Based Image Retrieval (CBIR), also known as Query by Image Content (QBIC) and Content-Based Visual Information Retrieval (CBVIR) is the application of computer vision to image retrieval problem, that is, the problem of searching for digital images in large database. "Content-based" means that the search will analyze the actual contents of the image[15]. The term 'content' in this context

might refer to colors, shapes, textures, or any other information that can be derived from the image itself.

Without the ability to examine image content, searches must rely on metadata such as captions or keywords, which may be laborious or expensive to produce. Retrieving images based on color similarity is achieved by computing a color histogram for each image that identifies the proportion of pixels within an image holding specific values that humans express as colors. Current research is attempting to segment color proportion by region and by spatial relationship among several color regions.

Examining images based on the colors they contain is one of the most widely used techniques because it does not depend on image size or orientation. Color searches will usually involve comparing colour histogram though this is not the only technique in practice. But this image search result may contains relevant data and nor relevant data, Because if we give black building, it may show some other black objects, so each and every image have some concept we can retrieve relevant this images based on this concepts.

For inter relate this concepts using relevance feed back given by user .so if we get this feature and normal CBIR, this concept will display effective results. PROPOSED SYSTEMS CBIR (Content Based Image retrieval) System modern image databases are queried by image content. Relevance feedback is an interactive process, which fulfils the requirements of the query formulation. The user initializes a query session by submitting an image. The system then compares the query image to each image in the database and returns the images that are the nearest neighbors to the query.If the user is not satisfied with the retrieved result, the user can activate an RF process by identifying which retrieved images are relevant and which are non relevant.

Based on the retrieved result users can give notification to the system which is relevant and which is non relevant this will store in virtual feature Virtual feature can adapt that reference with that image category for future effective retrieval with indexing technique we can retrieve images with different concept. Figure 1. Proposed Architecture A. Advantages of Proposed System: 1. User Feedback is included. 2. Reduces the unrelated searches 3. The images are searched using the image properties 4. Single Image can have multiple concepts CONCLUSION This paper attempts to give a clear concept for CBIR the feasible approaches and possible applications of CBIR are discussed as well.

The main advantage of the proposed method is the possibility of retrieval using high lever image semantic feature. Experiments with our prototype show that our approach can achieve fast convergence even in the realistic environments, and in very promising

for large CBIR systems.

INTERNET SOURCES:

2% - <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.228.1230>

1% -

https://www.researchgate.net/publication/221558498_A_Lazy_Processing_Approach_to_User_Relevance_Feedback_for_Content-Based_Image_Retrieval

2% - <https://www.infona.pl/resource/bwmeta1.element.ieee-art-000004626954>

1% -

<https://www.scribd.com/document/33216088/20424930-Knowledge-Data-Mining-IEEE-Project-Titles-With-Abstract-2009-2010>

2% - <https://drmah.weebly.com/articles/archives/09-2012>

1% - <https://www.sciencedirect.com/science/article/pii/S0096300306007661>

1% -

https://www.researchgate.net/publication/221653904_Fast_Spatio-Temporal_Data_Mining_of_Large_Geophysical_Datasets

<1% -

https://www.researchgate.net/publication/4185956_Combining_multiple_evidence_for_video_classification

8% - <http://www.ijcsit.com/docs/Volume%204/Vol4Issue2/ijcsit20130402011.pdf>

2% -

<http://www.iaeme.com/MasterAdmin/UploadFolder/COLOR%20VS%20TEXTURE%20FEATURE%20EXTRACTION%20AND%20MATCHING%20IN%20VISUAL%20CONTENT%20RETRIEVAL%20BY%20USING%20GLOBAL%20COLOR%20HISTOGRAM/COLOR%20VS%20TEXTURE%20FEATURE%20EXTRACTION%20AND%20MATCHING%20IN%20VISUAL%20CONTENT%20RETRIEVAL%20BY%20USING%20GLOBAL%20COLOR%20HISTOGRAM.pdf>

8% - <https://www.ijcait.com/IJCAIT/31/315.pdf>

1% -

https://www.researchgate.net/publication/3974182_Improving_retrieval_performance_by_long-term_relevance_information

5% -

<https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.300.6691&rep=rep1&type=pdf>

1% - <https://link.springer.com/article/10.1007/s13735-012-0016-2>

1% -

https://www.researchgate.net/publication/224755975_Video_data_mining_Rhythms_in_a_movie

11% -

<https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.300.9832&rep=rep1&type=>

pdf

2% - <https://core.ac.uk/download/pdf/25574969.pdf>

2% - http://paper.ijcsns.org/07_book/201301/20130115.pdf

2% - <https://www.sciencedirect.com/science/article/pii/S0306457300000339>

2% -

<https://scholarworks.gvsu.edu/cgi/viewcontent.cgi?article=1197&context=cistechlib>

2% -

<https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.680.4745&rep=rep1&type=>

pdf

<1% -

https://www.researchgate.net/publication/331208559_Applying_uncertain_frequent_pattern_mining_to_improve_ranking_of_retrieved_images

4% -

<http://vislab.ucr.edu/PUBLICATIONS/pubs/Journal%20and%20Conference%20Papers/after10-1-1997/Journals/2008/Long-Term%20Cross-Session%20Relevance08.pdf>

<1% - <https://publications.waset.org/vol/30>

1% - http://paws.kettering.edu/~pstanche/color_varna.pdf

<1% - <https://www.hindawi.com/journals/mpe/2013/878542/>